

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	679	external adj memory near2 device and modem	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:44
L2	63	1 and (usb or flash or compact adj falsh) and (dsl or digital adj subscriber adj line) and (pda or camera or phone or pc or comupter or storage)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:46
L3	30	2 and host	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:46



Search Session History

Mon, 31 Oct 2005, 11:20:52 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1	(((modem<in>metadata) <and> (external and memory<in>metadata))	23
#2	(((modem<in>metadata) <and> (external adj memory<in>metadata))<and> (flash adj memory<in>metadata)	0
#3	(((modem<in>metadata) <and> (external near2 memory<in>metadata))<and> (flash near2 memory<in>metadata)	0
#4	(((modem<in>metadata) <and> (external and memory<in>metadata))<and> (device<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	5
#5	(((modem<in>metadata) <and> (external and memory<in>metadata))<and> (device<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	5
#6	(((modem<in>metadata) <and> (external and memory<in>metadata))<and> (device<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	5
#7	(((modem<in>metadata) <and> (external and memory<in>metadata))<and> (device<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	5
#8	(((modem<in>metadata) <and> (external and memory<in>metadata))<and> (device<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2001)	5

*Revised all
10/31/05*



Key: IEEE JNL = IEEE Journal or Magazine, IEEE JNL = IEEE Journal or Magazine, IEEE CNF = IEEE Conference, IEEE CNF = IEEE Conference, IEEE STD = IEEE Standard

1. **Proceedings. VLSI and Computer Peripherals. VLSI and Microelectronic Applications in Intelligent Peripherals and their Interconnection Networks (Cat. No.89CH2704-5)**
CompEuro '89., 'VLSI and Computer Peripherals. VLSI and Microelectronic Applications in Intelligent Peripherals and their Interconnection Networks', Proceedings.
8-12 May 1989
IEEE CNF
2. **Next generation routers**
Chao, H.J.;
Proceedings of the IEEE
Volume 90, Issue 9, Sept. 2002 Page(s):1518 - 1558
IEEE JNL
3. **A single chip modem**
d'Audigier, P.; Cukier, M.;
CompEuro '89., 'VLSI and Computer Peripherals. VLSI and Microelectronic Applications in Intelligent Peripherals and their Interconnection Networks', Proceedings.
8-12 May 1989 Page(s):4/23 - 4/25
IEEE CNF
4. **LSI Processor for Digital Signal Processing and Its Application to 4800 Bit/s Modem**
Murano, K.; Unagami, S.; Tsuda, T.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 26, Issue 5, May 1978 Page(s):499 - 506
IEEE JNL
5. **A 160-kb/s digital subscriber loop transceiver with memory compensation echo canceller**
Colbeck, R.; Gillingham, P.;
Circuits and Systems, IEEE Transactions on
Volume 33, Issue 2, Feb 1986 Page(s):175 - 182
IEEE JNL
6. **A 160-kb/s digital subscriber loop transceiver with memory compensation echo canceller**
Colbeck, R.P.; Gillingham, P.B.;
Solid-State Circuits, IEEE Journal of
Volume 21, Issue 1, Feb 1986 Page(s):65 - 72
IEEE JNL
7. **Implementing a carrier-band node using VLSI**
Erickson, I.L.;
Industrial Electronics, IEEE Transactions on
Volume 35, Issue 1, Feb. 1988 Page(s):1 - 5
IEEE JNL
8. **The future is in the PC cards**
Sternglass, D.;
Spectrum, IEEE
Volume 29, Issue 6, June 1992 Page(s):46 - 50
IEEE JNL
9. **Microarchitectural innovations: boosting microprocessor performance beyond semiconductor technology scaling**

Moshovos, A.; Sohi, G.S.;
Proceedings of the IEEE
Volume 89, Issue 11, Nov. 2001 Page(s):1560 - 1575
IEEE JNL

10. SOC CMOS technology for personal Internet products

Buss, D.; Evans, B.L.; Bellay, J.; Krenik, W.; Haroun, B.; Leipold, D.; Maggio, K.; Jau-Yuann Yang; Moise, T.;
Electron Devices, IEEE Transactions on
Volume 50, Issue 3, March 2003 Page(s):546 - 556
IEEE JNL

11. Analysis and Performance Results of a Molecular Modeling Application on Merrimac

Erez, M.; Jung Ho Ahn; Garg, A.; Dally, W.J.; Darve, E.;
Supercomputing, 2004. Proceedings of the ACM/IEEE SC2004 Conference
2004 Page(s):42 - 42
IEEE CNF

12. A digital signal processor yields enhanced data/FAX pump

Chame, A.;
Aerospace Conference, 1997. Proceedings., IEEE
Volume 4, 1-8 Feb. 1997 Page(s):115 - 128 vol.4
IEEE CNF

13. A password-protected power controller

Bergman, C.A.;
Southern Tier Technical Conference, 1988., Proceedings of the 1988 IEEE
19 Oct. 1988 Page(s):252 - 257
IEEE CNF

14. The development of an 8 kbps GMSK-like modem for Mobitex

Noel, D.P.; Dew, G.; Kumar, S.; Fiala-Timlin, M.; Mann, K.;
Communications, Computers and Signal Processing, 1991., IEEE Pacific Rim Conference on
9-10 May 1991 Page(s):791 - 794 vol.2
IEEE CNF

15. A single-chip V.32 bis modem

Ishida, H.; Nishimura, E.; Mori, H.; Yamamoto, K.; Ozawa, K.; Miyazaki, M.; Mitsuyuki, S.; Sogawa, Y.;
Solid-State Circuits Conference, 1994. Digest of Technical Papers. 41st ISSCC., 1994 IEEE International
16-18 Feb. 1994 Page(s):66 - 67
IEEE CNF

16. Design Considerations for Single-Chip Computers of the Future

Patterson, D.A.; Sequin, C.H.;
Solid-State Circuits, IEEE Journal of
Volume 15, Issue 1, Feb 1980 Page(s):44 - 52
IEEE JNL

17. Programmable compact disk picture memory and video processing system

Hilderling, W.C.; Reijns, G.L.; Kraus, U.E.; Jinsi, S.; Danuhyarso, I.W.;
Consumer Electronics, IEEE Transactions on
Volume 34, Issue 3, Aug 1988 Page(s):838 - 846
IEEE JNL

18. Digital signal processing in a LSI 4.8 kbit/s modem

Guidoux, L.; Le Riche, O.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '82.
Volume 7, May 1982 Page(s):1777 - 1780
IEEE CNF

19. A power and area efficient multi-mode FEC processor

Yi-Chen Tseng; Chien-Ching Lin; Hsie-Chia Chang; Chen-Yi Lee;

Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International Symposium on
Volume 2, 23-26 May 2004 Page(s):II - 253-6 Vol.2

IEEE CNF

20. A software oriented modem architecture for 3G terminal

Mukai, M.; Tomizawa, T.; Takeda, D.; Tandai, T.; Wakutsu, T.; Yamaga, A.; Sakai, A.; Kaburaki, S.; Miyamoto, Y.;
Hosoyama, N.; Tsurumi, H.;

Vehicular Technology Conference, 2003. VTC 2003-Fall. 2003 IEEE 58th

Volume 4, 6-9 Oct. 2003 Page(s):2352 - 2356 Vol.4

IEEE CNF

21. An asynchronous victim cache

Horndee, D.; Garside, J.D.; Furber, S.B.;

Digital System Design, 2002. Proceedings. Euromicro Symposium on
4-6 Sept. 2002 Page(s):4 - 11

IEEE CNF

22. Design and Implementation of a Viterbi decoder using FPGAs

Pandita, B.; Roy, S.K.;

VLSI Design, 1999. Proceedings. Twelfth International Conference On
7-10 Jan. 1999 Page(s):611 - 614

IEEE CNF

23. A stream-based configurable computing radio testbed

Swanchara, S.; Harper, S.; Athanas, P.;

FPGAs for Custom Computing Machines, 1998. Proceedings. IEEE Symposium on
15-17 April 1998 Page(s):40 - 47

IEEE CNF



© Copyright 2005 IEEE -- All Rights Reserved


 Research
Databases

Sign In to My EBSCOhost


[New Search](#) | [View Folder](#) | [Preferences](#) | [Help](#)
US PATENT AND TRADEMARK OFFICE

Academic Search Premier; Business Source Corporate; Computer Science Index; Computer Source; EJS E-Journals; Internet and Personal Computing Abstracts; Information Science & Database: Technology Abstracts (ISTA)

[Database Help](#)

Find: in

and in

and in

[Search Tips](#)
Folder is empty.

Limiters set

Refine Search Search History / Alerts Results							
Print Search History Retrieve Searches Retrieve Alerts Save Searches / Alerts Clear Search History							
Add using: <input type="text" value="and"/> <input type="button" value="Add"/>				Show More ▼			
Add to Search	Search ID #	Search Terms	Limiters and Expanders	Last Run Via	Results	Revise Search	Delete
<input type="checkbox"/>	S7	modem And memory And (external and device)	Limiters - Published Date: 197001-200109	Interface - EBSCOhost Search Screen - Advanced Database - Academic Search Premier; Business Source Corporate; Computer Science Index; Computer Source; EJS E-Journals; Internet and Personal Computing Abstracts; Information Science & Technology Abstracts (ISTA)	11	Revise	<input checked="" type="checkbox"/>
<i>Reviewed all 10/31/05</i> <i>DR</i>							
<input type="checkbox"/>	S6	modem And memory And external adj device	Limiters - Published Date: 197001-200109	Interface - EBSCOhost Search Screen - Advanced Database - Academic Search Premier; Business Source Corporate; Computer Science Index; Computer Source; EJS E-Journals; Internet and Personal Computing Abstracts; Information Science & Technology Abstracts (ISTA)	0	Revise	<input checked="" type="checkbox"/>

<input type="checkbox"/>	S5	modem And memory And external adj device	Limiters - Published Date: 197001-200109	Interface - EBSCOhost Search Screen - Advanced Database - Academic Search Premier; Business Source Corporate; Computer Science Index; Computer Source; EJS E-Journals; Internet and Personal Computing Abstracts; Information Science & Technology Abstracts (ISTA)	<u>0</u>	<u>Revise</u>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	S4	modem And memory And device	Limiters - Published Date: 197001-200109	Interface - EBSCOhost Search Screen - Advanced Database - Academic Search Premier; Business Source Corporate; Computer Science Index; Computer Source; EJS E-Journals; Internet and Personal Computing Abstracts; Information Science & Technology Abstracts (ISTA)	<u>167</u>	<u>Revise</u>	<input checked="" type="checkbox"/>
		Scanned all 10/31/05					
<input type="checkbox"/>	S3	modem And memory And device		Interface - EBSCOhost Search Screen - Advanced Database - Academic Search Premier; Business Source Corporate; Computer Science Index; Computer Source; EJS E-Journals; Internet and Personal Computing Abstracts; Information Science & Technology Abstracts (ISTA)	<u>247</u>	<u>Revise</u>	<input checked="" type="checkbox"/>

[Top of Page](#)©2005 EBSCO Publishing. [Privacy Policy](#) - [Terms of Use](#) - [Copyright](#)